

ProSelect Square  
Column Wraps .....170

PremiumSelect  
Square Column  
Wraps .....173

Square Cap &  
Base Accessories .....174

PremiumSelect  
Tapered Column  
Wraps .....176

Tapered Cap &  
Base Accessories .....179

**FYPON**  
Where style meets performance

## Coverage with Character

### PVC Column Wraps

Once you've met the structural requirements of your project, Fypon® PVC column wraps can add an elegant finishing touch. Designed to install easily around an existing structural support, Fypon column wraps allow you to add the sophistication of traditional columns near the end of your project. So whether you need to add character to a new job or cover an outdated design, our column wraps offer many options for creating curb appeal. Browse our Column Wrap selection to find the products you need or visit [www.fypon.com](http://www.fypon.com).

## How to Use This Section

For ease of use, the product groupings in this section of the catalog are organized by size, from smallest to largest. Each product chart includes product images, dimensional data and part numbers to help specify, and promote Fypon® PVC column wraps.

## How to Order

### Fypon Column Wraps\*\*

Fypon column wraps are non-structural and simply wrap around an existing treated wood post or other structural support. Column wraps come in a complete kit that includes the shaft, cap, base, installation cleats, installation kit\* (hardware and tube of adhesive) and installation instructions. Choose between various tapered and square styles with a height that meets or exceeds your height requirement. Flat panel column wraps can be trimmed to any height, and all other styles are trimmable from the bottom of the shaft up to 3".

### Column Wrap Accessories

Square column wraps come with the traditional cap and base. Tapered column wraps come with the Craftsman cap and base. Six additional cap and base styles are available and ordered separately. Simply choose a style and specify the type (square or tapered) and the nominal size of the column wrap you are matching. Most of the caps and bases are constructed of PVC (unless otherwise noted) and ship in four separate pieces with pre-mitered corners.

### Special Order Products

PremiumSelect products shown in the catalog is also available in additional sizes. Product may be modified to minimum 6" width to a 24" maximum width. The height may also be modified with a minimum height of 48" to a maximum of 144" height (maximum 108" for tapered).




## Flexible Positioning PremiumSelect Column Wraps

Fypon column wraps allow for flexibility in positioning. The design features installation cleats on the exterior of the shaft for PremiumSelect providing ample room around the support post. This allows for positioning adjustments to align several columns in a row or to allow for positioning close to the porch edge. Also, because the column wrap does not come in contact with the structural post, the integrity of the wrap is not dependent on the support.

### Flexible positioning around support post

Before you order, you'll want to measure to make sure you have enough clear distance from the support post to the edge of the porch. The needed space is dependent on the style of column. You will need more space for tapered columns than square due to the larger base.



Allow adequate distance when choosing wrap width.

\* Sold separately for ProSelect Column Wraps


\*\* Always consult the local building code authority to determine suitability of products to meet specific project requirements.

Images are representative of style, actual product will vary by size.

# ProSelect

## Square Column Wraps

### Semi-Assembled Flat Panel with Plain Cap & Base\*



Shaft Width	Height	Flat Panel (FT)
<b>6"</b> (5 <sup>3</sup> / <sub>4</sub> " Actual) 3 <sup>1</sup> / <sub>2</sub> " Actual Inside Width	6' (72")	CWPR6X72SFT
	8' (96")	CWPR6X96SFT
	9' (108")	CWPR6X108SFT
	10' (120")	CWPR6X120SFT
	12' (144")	CWPR6X144SFT
<b>8"</b> (7 <sup>3</sup> / <sub>4</sub> " Actual) 5 <sup>1</sup> / <sub>2</sub> " Actual Inside Width	6' (72")	CWPR8X72SFT
	8' (96")	CWPR8X96SFT
	9' (108")	CWPR8X108SFT
	10' (120")	CWPR8X120SFT
	12' (144")	CWPR8X144SFT
<b>10"</b> (9 <sup>3</sup> / <sub>4</sub> " Actual) 7 <sup>1</sup> / <sub>2</sub> " Actual Inside Width	6' (72")	CWPR10X72SFT
	8' (96")	CWPR10X96SFT
	9' (108")	CWPR10X108SFT
	10' (120")	CWPR10X120SFT
	12' (144")	CWPR10X144SFT
<b>12"</b> (11 <sup>3</sup> / <sub>4</sub> " Actual) 9 <sup>1</sup> / <sub>2</sub> " Actual Inside Width	6' (72")	CWPR12X72SFT
	8' (96")	CWPR12X96SFT
	9' (108")	CWPR12X108SFT
	10' (120")	CWPR12X120SFT
	12' (144")	CWPR12X144SFT
Installation Kit	Installation Kit includes adhesive and screw pack	CWINSTALLKIT

\* Installation Kit sold separately.

ProSelect is not available for special orders.

Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.












# PremiumSelect

## Square Column Wraps

**Semi-Assembled  
with Traditional  
Cap & Base**



Flutes are  $\frac{5}{8}$ " wide and  $\frac{1}{4}$ " deep. Number and spacing of flutes varies by width of shaft.

Route is  $1 \frac{11}{32}$ " wide by  $\frac{3}{8}$ " deep.















Recess is  $\frac{1}{2}$ " deep and corners are  $\frac{1}{4}$ " rounded.



Shaft Width	Height	Flat Panel (FT)	Fluted (FL)	Raised Panel (RS)	Recessed Panel (RC)
<b>6"</b> (5 $\frac{3}{4}$ " Actual)	6' (72")	CWPM6X72SFT	—	—	—
	8' (96")	CWPM6X96SFT	—	—	—
	9' (108")	CWPM6X108SFT	—	—	—
	10' (120")	CWPM6X120SFT	—	—	—
	12' (144")	CWPM6X144SFT	—	—	—
4 $\frac{3}{4}$ " Actual Inside Width					
<b>8"</b> (7 $\frac{3}{4}$ " Actual)	6' (72")	CWPM8X72SFT	CWPM8X72SFL	CWPM8X72SRS	CWPM8X72SRC
	8' (96")	CWPM8X96SFT	CWPM8X96SFL	CWPM8X96SRS	CWPM8X96SRC
	9' (108")	CWPM8X108SFT	CWPM8X108SFL	CWPM8X108SRS	CWPM8X108SRC
	10' (120")	CWPM8X120SFT	CWPM8X120SFL	CWPM8X120SRS	CWPM8X120SRC
	12' (144")	CWPM8X144SFT	CWPM8X144SFL	CWPM8X144SRS	CWPM8X144SRC
6 $\frac{3}{4}$ " Actual Inside Width				5 $\frac{3}{4}$ " Actual Inside Width	
<b>10"</b> (9 $\frac{3}{4}$ " Actual)	6' (72")	CWPM10X72SFT	CWPM10X72SFL	CWPM10X72SRS	CWPM10X72SRC
	8' (96")	CWPM10X96SFT	CWPM10X96SFL	CWPM10X96SRS	CWPM10X96SRC
	9' (108")	CWPM10X108SFT	CWPM10X108SFL	CWPM10X108SRS	CWPM10X108SRC
	10' (120")	CWPM10X120SFT	CWPM10X120SFL	CWPM10X120SRS	CWPM10X120SRC
	12' (144")	CWPM10X144SFT	CWPM10X144SFL	CWPM10X144SRS	CWPM10X144SRC
8 $\frac{3}{4}$ " Actual Inside Width				7 $\frac{3}{4}$ " Actual Inside Width	
<b>12"</b> (11 $\frac{3}{4}$ " Actual)	6' (72")	CWPM12X72SFT	CWPM12X72SFL	CWPM12X72SRS	CWPM12X72SRC
	8' (96")	CWPM12X96SFT	CWPM12X96SFL	CWPM12X96SRS	CWPM12X96SRC
	9' (108")	CWPM12X108SFT	CWPM12X108SFL	CWPM12X108SRS	CWPM12X108SRC
	10' (120")	CWPM12X120SFT	CWPM12X120SFL	CWPM12X120SRS	CWPM12X120SRC
	12' (144")	CWPM12X144SFT	CWPM12X144SFL	CWPM12X144SRS	CWPM12X144SRC
10 $\frac{3}{4}$ " Actual Inside Width				9 $\frac{3}{4}$ " Actual Inside Width	

Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

# Square Cap & Base Accessories

Style			6X6	8X8	10X10	12X12
Traditional			CWCB6TR	CWCB8TR	CWCB10TR	CWCB12TR
Ships standard with all PremiumSelect square column wrap kits.						
Craftsman			CWCB6CF	CWCB8CF	CWCB10CF	CWCB12CF
Greek			CWCB6GK	CWCB8GK	CWCB10GK	CWCB12GK
Plain			CWCB6PL	CWCB8PL	CWCB10PL	CWCB12PL
Ships standard with all ProSelect square column wrap kits.						
Roman			CWCB6RO	CWCB8RO	CWCB10RO	CWCB12RO
Tuscan			CWCB6TS	CWCB8TS	CWCB10TS	CWCB12TS
Tuscan Cap & Base are high-density polyurethane.						
Neck Mould			CW6NM	CW8NM	CW10NM	CW12NM

Cleat ships with the Column Wrap.










# PremiumSelect

## Tapered Column Wraps

**Semi-Assembled with  
Craftsman Cap & Base**



Route is 1 3/8" wide by 3/8" deep.



Recess is 1/2" deep and corners are 1/4" rounded.



Shaft Width	Height	Flat	Raised Panel	Recessed Panel
<b>8"</b> Top (7 3/4" Actual)	4' (48")	CWPM8X12X48TFT	CWPM8X12X48TRS	CWPM8X12X48TRC
	4 1/2' (54")	CWPM8X12X54TFT	CWPM8X12X54TRS	CWPM8X12X54TRC
	5' (60")	CWPM8X12X60TFT	CWPM8X12X60TRS	CWPM8X12X60TRC
	5 1/2' (66")	CWPM8X12X66TFT	CWPM8X12X66TRS	CWPM8X12X66TRC
	6' (72")	CWPM8X12X72TFT	CWPM8X12X72TRS	CWPM8X12X72TRC
	8' (96")	CWPM8X12X96TFT	CWPM8X12X96TRS	CWPM8X12X96TRC
<b>12"</b> Bottom (11 3/4" Actual)	4' (48")	CWPM11X16X48TFT	CWPM11X16X48TRS	CWPM11X16X48TRC
	4 1/2' (54")	CWPM11X16X54TFT	CWPM11X16X54TRS	CWPM11X16X54TRC
	5' (60")	CWPM11X16X60TFT	CWPM11X16X60TRS	CWPM11X16X60TRC
	5 1/2' (66")	CWPM11X16X66TFT	CWPM11X16X66TRS	CWPM11X16X66TRC
	6' (72")	CWPM11X16X72TFT	CWPM11X16X72TRS	CWPM11X16X72TRC
	8' (96")	CWPM11X16X96TFT	CWPM11X16X96TRS	CWPM11X16X96TRC
<b>11"</b> Top (10 3/4" Actual)	4' (48")	CWPM13X20X48TFT	CWPM13X20X48TRS	CWPM13X20X48TRC
	4 1/2' (54")	CWPM13X20X54TFT	CWPM13X20X54TRS	CWPM13X20X54TRC
	5' (60")	CWPM13X20X60TFT	CWPM13X20X60TRS	CWPM13X20X60TRC
	5 1/2' (66")	CWPM13X20X66TFT	CWPM13X20X66TRS	CWPM13X20X66TRC
	6' (72")	CWPM13X20X72TFT	CWPM13X20X72TRS	CWPM13X20X72TRC
	8' (96")	CWPM13X20X96TFT	CWPM13X20X96TRS	CWPM13X20X96TRC
<b>16"</b> Bottom (15 3/4" Actual)	4' (48")	CWPM16X24X48TFT	CWPM16X24X48TRS	CWPM16X24X48TRC
	4 1/2' (54")	CWPM16X24X54TFT	CWPM16X24X54TRS	CWPM16X24X54TRC
	5' (60")	CWPM16X24X60TFT	CWPM16X24X60TRS	CWPM16X24X60TRC
	5 1/2' (66")	CWPM16X24X66TFT	CWPM16X24X66TRS	CWPM16X24X66TRC
	6' (72")	CWPM16X24X72TFT	CWPM16X24X72TRS	CWPM16X24X72TRC
	8' (96")	CWPM16X24X96TFT	CWPM16X24X96TRS	CWPM16X24X96TRC
<b>13"</b> Top (12 3/4" Actual)	4' (48")	CWPM16X24X48TFT	CWPM16X24X48TRS	CWPM16X24X48TRC
	4 1/2' (54")	CWPM16X24X54TFT	CWPM16X24X54TRS	CWPM16X24X54TRC
	5' (60")	CWPM16X24X60TFT	CWPM16X24X60TRS	CWPM16X24X60TRC
	5 1/2' (66")	CWPM16X24X66TFT	CWPM16X24X66TRS	CWPM16X24X66TRC
	6' (72")	CWPM16X24X72TFT	CWPM16X24X72TRS	CWPM16X24X72TRC
	8' (96")	CWPM16X24X96TFT	CWPM16X24X96TRS	CWPM16X24X96TRC
<b>20"</b> Bottom (19 3/4" Actual)	4' (48")	CWPM16X24X48TFT	CWPM16X24X48TRS	CWPM16X24X48TRC
	4 1/2' (54")	CWPM16X24X54TFT	CWPM16X24X54TRS	CWPM16X24X54TRC
	5' (60")	CWPM16X24X60TFT	CWPM16X24X60TRS	CWPM16X24X60TRC
	5 1/2' (66")	CWPM16X24X66TFT	CWPM16X24X66TRS	CWPM16X24X66TRC
	6' (72")	CWPM16X24X72TFT	CWPM16X24X72TRS	CWPM16X24X72TRC
	8' (96")	CWPM16X24X96TFT	CWPM16X24X96TRS	CWPM16X24X96TRC
<b>16"</b> Top (15 3/4" Actual)	4' (48")	CWPM16X24X48TFT	CWPM16X24X48TRS	CWPM16X24X48TRC
	4 1/2' (54")	CWPM16X24X54TFT	CWPM16X24X54TRS	CWPM16X24X54TRC
	5' (60")	CWPM16X24X60TFT	CWPM16X24X60TRS	CWPM16X24X60TRC
	5 1/2' (66")	CWPM16X24X66TFT	CWPM16X24X66TRS	CWPM16X24X66TRC
	6' (72")	CWPM16X24X72TFT	CWPM16X24X72TRS	CWPM16X24X72TRC
	8' (96")	CWPM16X24X96TFT	CWPM16X24X96TRS	CWPM16X24X96TRC
<b>24"</b> Bottom (23 3/4" Actual)	4' (48")	CWPM16X24X48TFT	CWPM16X24X48TRS	CWPM16X24X48TRC
	4 1/2' (54")	CWPM16X24X54TFT	CWPM16X24X54TRS	CWPM16X24X54TRC
	5' (60")	CWPM16X24X60TFT	CWPM16X24X60TRS	CWPM16X24X60TRC
	5 1/2' (66")	CWPM16X24X66TFT	CWPM16X24X66TRS	CWPM16X24X66TRC
	6' (72")	CWPM16X24X72TFT	CWPM16X24X72TRS	CWPM16X24X72TRC
	8' (96")	CWPM16X24X96TFT	CWPM16X24X96TRS	CWPM16X24X96TRC

Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.



















## Tapered Cap & Base Accessories

Style	8X12	11X16	13X20	16X24
<b>Craftsman</b>  	CWCB8X12CF	CWCB11X16CF	CWCB13X20CF	CWCB16X24CF
Ships standard with all PremiumSelect tapered column wrap kits.				
<b>Greek</b>  	CWCB8X12GK	CWCB11X16GK	CWCB13X20GK	CWCB16X24GK
<b>Roman</b>  	CWCB8X12RO	CWCB11X16RO	CWCB13X20RO	CWCB16X24RO
<b>Tuscan</b>  	CWCB8X12TS	CWCB11X16TS	CWCB13X20TS	CWCB16X24TS
Tuscan Cap & Base are high-density polyurethane.				
<b>Neck Mould</b>  	CW17NM	Trimmable to fit up to 16" wide top width.		

Cleat ships with the Column Wrap.